

CUTE AS A BUG

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

Cut the following:

Fabric A - cut 1 - 18 1/2" x 23 1/2"

Fabric C - Borders: cut 4 - 3" strips, subcut 2 - 3" x 38 1/2" and 2 - 3 x 35 1/2"

Fabric D - cut 1 - 2" strip, subcut 2 - 2" x 18 1/2"

cut 3 - 3 1/4" strips, subcut 28 - 3 1/4" squares, cut in half diagonally from both directions for 112 triangles ⊠

Fabric E - Borders: cut 8 - 1 1/2" strips, subcut:

2 - 1 1/2" x 26 1/2" and 2 - 1 1/2" x 20 1/2"


2 - 1 1/2" x 36 1/2" and 2 - 1 1/2" x 30 1/2"

BINDING - cut 5 - 2 1/4" strips, sew end to end and press in half

Fabric G - cut 5 - 1 15/16" (scant 2") strips, subcut 28 left and 28 right half trapezoids (*see below)

Fabric H - cut 5 - 1 15/16" (scant 2") strips, subcut 28 left and 28 right half trapezoids (*see below)

*To cut half trapezoids from 1 15/16" strip, first, with strip folded, make a straight 90° angle cut to straighten the ends and cut off selvages. Next, measure a scant 3 3/4" from the first cut along the bottom raw edge of the strip. Cut inward at a 45° angle by placing the 45° line of the ruler even with the bottom raw edge. Since the strips are folded you will be cutting a left unit and a right unit at the same time. Next, measure a scant 3 3/4" along the top raw edge of the strip from the top end of the previously cut unit, then make a straight (90°) cut according to the diagram. Continue by cutting one unit up, then one unit down until all 28 of both are cut.




2. Piecing Order:

1. First, sew


D 2" x 18 1/2"

strips above and
below center panel A.
Then, sew E 1 1/2"


borders around center
block, SIDES first, then
TOP and BOTTOM
borders according to
the diagram.




2. Sew **D** 3 1/4" triangles to **G** and **H** units according to the diagrams. Arrows indicate pressing directions. Press gently due to the bias edges.




3. Sew large triangle units together by rows for the following blocks. Blocks measure 4" finished (4 1/2" unf.)





4. Sew four #1 blocks and three #2 blocks together for the SIDE borders. Sew three #1 blocks, two #2 blocks and two #3 blocks together for the TOP and BOTTOM borders. Sew SIDE borders to the quilt center first, then sew TOP and BOTTOM borders according to the diagram.



C 3" x 35 1/2"

- 5. Sew **E** 1 1/2" borders around the quilt, SIDES first, then TOP and BOTTOM borders.
- 6. Sew **C** 3" borders around the quilt, SIDES first, then TOP and BOTTOM borders.


7. Cut the following for the BACKING:

Fabric B - cut 1 - $27 \frac{1}{2}$ " x 36". Pay attention to the correct direction of the fabric according to the cover picture.

Fabric F - cut 2 - 4 1/2" x 36" (Sides)

cut 2 - 4 1/4" x 35 1/2" (Top and Bottom)

8. Sew F borders around B, SIDES first, then TOP and BOTTOM borders according to the diagram.



F 4 1/4" X 35 1/2"